


PM-6

READ ENTIRE INSTRUCTION MANUAL BEFORE USING



1. Power indicator
2. Power input jack
3. Output RCA jacks. (red / black)
4. MM / MC switch
5. Grounding jack for LP Power plug
6. MM input RCA jacks.(red /black)
7. MC input RCA jacks.(red /black)
8. Power

THEORY OF OPERATION

As a MM / MC phono-preamplifier with separated power supply, the MM phono section of PM-6 uses 4 2SK170 and provides a balanced gain, based on RIAA, to the output with no negative feedback. With a MM phono stage, this set turn to be a 3 ohm-800ohm MC phono preamplifier.

TECHNICAL SPECIFICATION

CONTROL FUNCTIONS: Switch MM / MC
HARMONIC DISTORTION (for 2V RMS at output): 0.001%
INPUT IMPEDANCE: 47k ohms(MM) , 3 ohm~800 ohm(MC)
INPUT GAIN: 40dB (MM) / 60 dB (MC)
OUTPUT INTERFACES: 1 group (RCA)
INPUT INTERFACES: 2 group (RCA)
GROUNDING INTERFACES: 1 group
SIGNAL/NOISE: 90dB
CONSUMPTION: 5watt
DIMENSIONS: 200(L) x 98(W) x52(H) mm
WEIGHT: 4kg

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

Warranty

Opera audio guarantees each product manufactured by us to be free from defects in materials and workmanship under normal use. Our obligation under this warranty is limited to making good at our factory any part or parts thereof which shall, within 1 year after delivery to the original purchaser, be returned to us with transportation charges prepaid, and which an examination shall disclose to have been thus defective; this warranty being expressly in lieu of all other warranties expressed or implied and of all other obligations or liabilities on our part. This warranty shall not apply to any Opera audio product which shall have been repaired or altered outside of our factory in any way so as to affect its stability, nor which has been subject to misuse, negligence or accident. Warranties of the vacuum tubes are by the respective manufacturers, usually 90 days.

Please mail or e-mail the Registration Card to the address as follow:

The Opera Audio Co., Ltd.

No.2 JianXianQiaoLu
ChaoYANG District
Beijing, China
Tel: 86 10 64377091
Fax: 86 10 64377465
support@opera-consonance.com
www.operaudio.com



Registration Card

Name
Address
City
State
Zip
Email
Telephone
Model
Serial Number
Purchase Date
Dealer